



**C.I.P.****7x49 GJW**

TAB. IV

Date 91-02-19

Pays d'origine: DE

Révision 08-09-23



Échelle 1.13:1

Dimensions en << mm >>  
Dimensions et tolérances pour les canons  
d'épreuve: Voyez Annexe CR 1.

**CARTOUCHE MAXI****Longueurs**

|                    |   |       |       |
|--------------------|---|-------|-------|
| L1 <sup>1)</sup> * | = | 42.32 | -0.20 |
| L2 <sup>1)</sup> * | = | 43.23 | -0.20 |
| L3 <sup>1)</sup>   | = | 49.00 |       |
| L4                 | = |       |       |
| L5                 | = |       |       |
| L6                 | = | 73.50 |       |

**Culot**

|       |   |           |  |
|-------|---|-----------|--|
| R     | = | 1.14      |  |
| R1    | = | 9.60      |  |
| R3    | = |           |  |
| E     | = | 3.10      |  |
| E1    | = | 8.44      |  |
| e min | = | 0.80      |  |
| δ     | = | 25°22'18" |  |
| f     | = | 0.50      |  |
| β     | = | 45°       |  |

**Chambre à poudre**

|                    |   |      |       |
|--------------------|---|------|-------|
| P1                 | = | 9.54 |       |
| P2 <sup>1)</sup> * | = | 9.30 | -0.20 |

**Cône de raccordement**

|        |   |           |  |
|--------|---|-----------|--|
| α      | = | 80°06'18" |  |
| S      | = | 47.85     |  |
| r1 min | = |           |  |
| r2     | = |           |  |

**Collet**

|                  |   |      |  |
|------------------|---|------|--|
| H1 *             | = | 7.77 |  |
| H2 <sup>1)</sup> | = | 7.77 |  |

**Projectile**

|                    |   |       |  |
|--------------------|---|-------|--|
| G1 <sup>1)</sup>   | = | 7.25  |  |
| G2                 | = |       |  |
| F                  | = |       |  |
| L3+G <sup>1)</sup> | = | 61.09 |  |

**Pressions (Énergies)****Méthode transducteur**

|      |   |          |  |
|------|---|----------|--|
| Pmax | = | 4400 bar |  |
| PK   | = | 5060 bar |  |
| PE   | = | 5720 bar |  |
| M    | = | 25.00    |  |

**Autres indications**

|                    |   |      |  |
|--------------------|---|------|--|
| Fe <sup>1)6)</sup> | = | 0.10 |  |
| delta L            | = |      |  |

Notes: 1) A' contrôler pour la sécurité  
6) Feuillure sur la bouche  
\* Dimensions de base

**CHAMBRE MINI****Longueurs**

|                  |   |       |  |
|------------------|---|-------|--|
| L1 *             | = | 42.30 |  |
| L2 *             | = | 43.19 |  |
| L3 <sup>1)</sup> | = | 49.50 |  |

**Cuvette**

|    |   |      |  |
|----|---|------|--|
| R  | = | 1.14 |  |
| R1 | = | 9.63 |  |
| R2 | = |      |  |
| R3 | = |      |  |
| r  | = |      |  |

**Chambre à poudre**

|                  |   |      |  |
|------------------|---|------|--|
| E                | = | 3.10 |  |
| P1 <sup>1)</sup> | = | 9.57 |  |
| P2 *             | = | 9.33 |  |

**Cône de raccordement**

|                 |   |           |  |
|-----------------|---|-----------|--|
| α <sup>1)</sup> | = | 80°14'27" |  |
| S               | = | 47.84     |  |
| r1 max          | = |           |  |
| r2              | = |           |  |

**Collet**

|                  |   |      |  |
|------------------|---|------|--|
| H1 *             | = | 7.83 |  |
| H2 <sup>1)</sup> | = | 7.80 |  |

**Prise de rayures**

|                    |   |       |  |
|--------------------|---|-------|--|
| G1 <sup>1)</sup> * | = | 7.30  |  |
| G <sup>1)</sup> *  | = | 12.09 |  |
| α1                 | = | 90°   |  |
| h                  | = | 0.25  |  |
| s *                | = | 5.60  |  |
| i <sup>1)</sup>    | = | 1°30' |  |
| w                  | = |       |  |

**Canon**

|                   |   |      |  |
|-------------------|---|------|--|
| F <sup>1)</sup> * | = | 6.96 |  |
| Z <sup>1)</sup>   | = | 7.20 |  |

**Rayures**

|   |   |        |                 |
|---|---|--------|-----------------|
| b | = | 3.70   |                 |
| N | = | 4      |                 |
| u | = | 228.00 |                 |
| Q | = | 39.91  | mm <sup>2</sup> |